



REBEL

FLAVIKER

THE CONTEMPORARY AESTHETICS
OF OXIDISED METALS

R E B E L

FLAVIKER

REBEL

REBEL COMPLETA IL MOOD INDUSTRIAL CHIC DELLE PIÙ RECENTI COLLEZIONI FLAVIKER. LA SUPERFICIE, CARATTERIZZATA DA EFFETTI TRANSLUCIDI E DA PIACEVOLI CONTRASTI CROMATICI, RICREA IL FASCINO DELLE LASTRE METALLICHE DI RECUPERO, RIPRODUCENDONE IN MANIERA SORPRENDENTE I PROCESSI DI INVECCHIAMENTO E DI USURA.

REBEL COMPLETES THE INDUSTRIAL-CHIC MOOD OF THE LATEST FLAVIKER COLLECTIONS. WITH ITS TRANSLUCENT EFFECTS AND PLEASANT COLOUR CONTRASTS, THE SURFACE IS INSPIRED BY THE APPEAL OF RECLAIMED METAL SHEETS, REPRODUCING THE PROCESSES OF AGING AND WEAR WITH ASTONISHING REALISM.

BRONZE



LEAD



NIGHT



SILVER



WHITE



EMERALD



BRASS



6 mm

8,5 mm

20 mm X20

160x320

120x120

90x90

120x280

60x120

80x80

60x60

30x60

REBEL SILVER



WALL: REBEL LEAD 120X280

FLOOR: REBEL SILVER 120X120



WALL: REBEL LEAD 120X280 | REBEL BRASS 60X120

FLOOR: REBEL SILVER 120X120

COUNTER TOPS: SUPREME EVO NOIR LAURENT LUX 160X320



WALL: REBEL LEAD 120X280 | REBEL BRASS 60X120
FLOOR: REBEL SILVER 120X120
COUNTER TOPS: SUPREME EVO NOIR LAURENT LUX 160X320



WALL: REBEL SILVER 120X280
FLOOR: X20 REBEL SILVER 90X90 20 MM
MATERIA KITCHEN TABLE: ANIMA GRIGIO HYPER WHITE

REBEL LEAD



FLOOR: REBEL LEAD 60X120



WALL: REBEL WHITE 120X280
FLOOR: X20 REBEL LEAD 90X90 20 MM
MATERIA TABLE: REBEL BRONZE



FLOOR: REBEL LEAD 80X80
MATERIA TABLE: STATUARIO SUPERIOR LUX



WALL: REBEL LEAD 120X280 | WALL PALETTE BARK 60X120
FLOOR: REBEL WHITE 60X120

REBEL BRONZE



WALL: REBEL BRONZE 120X280
FLOOR: REBEL BRONZE 120X120

REBEL
HOTEL

WALL: REBEL BRONZE 120X280 | REBEL NIGHT 120X280
FLOOR: REBEL BRONZE 120X120
VOLUMES: ROCKIN' ICE 120X280 | REBEL NIGHT 120X280



MATERIA - KITCHEN VOLUME: TRAVERTINO NAVONA

SHUTTERS: REBEL BRONZE 120x280


FLOOR: NAVONA HONEY CROSS 60x120



FLOOR: X20 REBEL BRONZE 90X90 20 MM, BULLNOSE 90X90 20 MM
WALL: HYPER SILVER 120X280



REBEL WHITE



FLOOR: REBEL WHITE 80X80



WALL: REBEL WHITE 120X280
FLOOR: REBEL WHITE 80X80
MATERIA WORKTOPS AND VOLUME: SUPREME EVO NOIR LAURENT LUX 6 MM
REBEL BRONZE 6 MM



WALL: REBEL WHITE 120X280

FLOOR: REBEL WHITE 80X80

MATERIA WORKTOPS AND VOLUME: SUPREME EVO NOIR LAURENT LUX 6 MM

REBEL BRONZE 6 MM



WALL: REBEL WHITE 120X280 | CHROME BLACK NAT 120X280

FLOOR: NORDIK WOOD GOLD 20X120

REBEL NIGHT



WALL: HYPER SILVER 120X280

FLOOR: REBEL NIGHT 60X120



WALL: REBEL NIGHT 120X280 | HYPER SILVER 120X280
FLOOR: HYPER SILVER 60X120
MATERIA WASHBASIN AND VOLUME: REBEL SILVER 6 MM



WALL: REBEL NIGHT 120X280 | BLUE SAVOY GREY 60X120
FLOOR: BLUE SAVOY GREY 60X120

REBEL EMERALD



WALL: REBEL EMERALD 120x280

FLOOR: REBEL BRASS 60x120

VOLUME: ART WALLS FROST LUX 120X280



WALL: REBEL EMERALD 120X280
SUPREME TREASURE CALACATTA EMERALD 120X280 SOFT
FURNITURE: REBEL BRONZE 120X280
FLOOR: REBEL EMERALD 60X120



WALL: NAVONA GREY VEIN 120x280 | REBEL EMERALD 120x280
WASHBASIN: REBEL EMERALD 120x280
FLOOR: NAVONA GREY VEIN 60x120 | NORDIK WOOD GOLD 20x120



FIREPLACE: REBEL EMERALD 120x280
FLOOR: FOUR SEASONS BISCUIT 30x120
LITTLE TABLE: MATERIA CEPPO DI GRÈ



WALL: REBEL EMERALD 120X280 | REBEL BRASS 60X120
FLOOR: RE_TOUR MUD 90X90

REBEL BRASS



WALL: REBEL BRASS 60x120 + ART WALLS GLASS LUX 60x120
FLOOR: FOUR SEASONS BISCUIT 20x120



WALL: PALETTE MOU NAT. 60x120 + PALETTE MOU MOSAICO CONFETTI 29,3x33,3 +
REBEL BRASS NAT. 60x120
FLOOR: PALETTE MOU NAT. 60x120



WALL: REBEL BRASS 60X120
FLOOR: SUPREME EVO ANTIQUE WHITE LUX 60X120
WASHBASIN AND TOP: SUPREME EVO ANTIQUE WHITE 160X320 LUX



WALL: SUPREME TREASURE GREYLAC PLATINUM 60X120 NAT
REBEL BRASS 60X120 | REBEL MOSAICO TRIS HOT 30X30
FLOOR: SUPREME TREASURE GREYLAC PLATINUM 60X120 NAT

REBEL




BRONZE LEAD NIGHT SILVER WHITE EMERALD BRASS

6 mm	160x320 64"x128"	NAT. RETT.	•						
	120x280 48"x112"	NAT. RETT.	•	•	•	•	•	•	•
8,5 mm	120x120 48"x48"	NAT. RETT.	•	•	•	•	•	•	•
	60x120 24"x48"	NAT. RETT.	•	•	•	•	•	•	•
	80x80 32"x32"	NAT. RETT.	•	•	•	•	•	•	
	60x60 24"x24"	NAT. RETT.	•	•	•	•	•	•	
20 mm	90x90 36"x36"	R11 RETT.	•	•		•			

REBEL

BRONZE



6 mm	160x320	NAT. RETT.	0003963
	120x280	NAT. RETT.	0008666
8,5 mm	120x120	NAT. RETT.	0003758
	60x120	NAT. RETT.	0004046
	80x80	NAT. RETT.	0004060
	60x60	NAT. RETT.	0004095
20 mm	90x90 X20	R11 RETT.	0004251

Disponibile anche
Available also

MATERIA.

6 mm	163,5x323	NAT.	0003842
12 mm	163,5x323	NAT.	0006284

LEAD



6 mm	120x280	NAT. RETT.	0008668
8,5 mm	120x120	NAT. RETT.	0003760
	60x120	NAT. RETT.	0004048
	80x80	NAT. RETT.	0004062
	60x60	NAT. RETT.	0004097
20 mm	90x90 X20	R11 RETT.	0004252

REBEL

NIGHT



6 mm	120x280	NAT RETT.	0008667
8,5 mm	120x120	NAT RETT.	0003759
	60x120	NAT RETT.	0004047
	80x80	NAT RETT.	0004061
	60x60	NAT RETT.	0004096
	30x60	NAT RETT.	0004101

Disponibile anche
Available also

MATERIA.

12 mm	163,5x323	NAT.	0003793
-------	-----------	------	---------

SILVER



6 mm	120x280	NAT RETT.	0008669
8,5 mm	120x120	NAT RETT.	0003761
	60x120	NAT RETT.	0004049
	80x80	NAT RETT.	0004063
	60x60	NAT RETT.	0004098
	30x60	NAT RETT.	0004103

Disponibile anche
Available also

MATERIA.

6 mm	163,5x323	NAT.	0006233
12 mm	163,5x323	NAT.	0005324

REBEL

WHITE



6 mm	120x280	NAT RETT.	0008670
8,5 mm	120x120	NAT RETT.	0003762
	60x120	NAT RETT.	0004050
	80x80	NAT RETT.	0004064
	60x60	NAT RETT.	0004099
	30x60	NAT RETT.	0004104

EMERALD



6 mm	120x280	NAT RETT.	0008072
8,5 mm	120x120	NAT RETT.	0004945
	60x120	NAT RETT.	0004052
	60x60	NAT RETT.	0010842

REBEL


BRASS



8,5 mm	120x120	NAT RETT.	0004944
	60x120	NAT RETT.	0004051



30x30 8,5 mm
0004344
MOSAICO TRIS HOT RETT.

30x30 8,5 mm
0004343
MOSAICO TRIS COLD RETT.


MATITE ALLUMINIO - ALUMINIUM STRIPS

Articoli realizzati in alluminio anodizzato per l'uso a parete, adatti a raccordare piastrelle di diverso spessore (8,5/7/6 mm).
Anodized Aluminium strips for use between wall tiles of different thicknesses (8,5/7/6 mm).



MATITA ALLUMINIO 0,5X120
Parte superiore arrotondata. Rounded top.
MATITA ALLUMINIO
0000086

Parte superiore arrotondata e colorata con resine acriliche.
Rounded top colored with acrylic resins.





MATITA ALLUMINIO 0,5X120
Parte superiore piatta colorata in bagno galvanico
Flat top colored in galvanic bath.



REBEL





DECORI E PEZZI SPECIALI DECORS AND SPECIAL TRIMS

		BRONZE	LEAD	NIGHT	SILVER	WHITE	EMERALD BRASS
	Mosaico 30x30 NAT RETT. 	0004488	0004490	0004489	0004491	0004492	0004494 0004493
	Mosaico Twist 30x30 NAT RETT. 	0008874	-	0008875	-	-	0008876 -
	Battiscopa 5,5x60 NAT RETT. 	0004169	0004171	0004170	0004172	0004173	- -
	Battiscopa 5,5x80 NAT RETT. 	0004065	0004067	0004066	0004068	0004069	- -
	Battiscopa 5,5x120 NAT RETT. 	0008564	0008566	0008565	0008567	0008568	0004234 0004233
	Gradone Top 32x120x4,5x2 NAT RETT. 	0004070	0004072	0004071	0004073	0004074	0008574 0008573
	Angolare Top SX 32x120x4,5x2 NAT RETT. 	0004075	0004077	0004076	0004078	0004079	0008572 0008571
	Angolare Top DX 32x120x4,5x2 NAT RETT. 	0004080	0004082	0004081	0004083	0004084	0008570 0008569



R11

			BRONZE	LEAD	SILVER
	Curve 90x90	R11 RETT.	0020041	0020043	0020044
	Gradone Bordo 30x90	R11 RETT.	0020038	0020039	0020040
	Bullnose 30x90	R11 RETT.	0020034	0020035	0020036
	Elemento L 15x90x5	R11 RETT.	0004255	0004256	0004257
	Elemento L Grip 15x90x5	R11 RETT.	0007096	0007097	0007098
	Griglia 18x90	R11 RETT.	0004258	0004259	0004260
	Ang. Griglia SX 18x90	R11 RETT.	0004261	0004262	0004263
	Ang. Griglia DX 18x90	R11 RETT.	0004264	0004265	0004266



Ceramics of Italy

CARATTERISTICHE TECNICHE TECHNICAL CHARACTERISTICS

Caratteristiche Tecniche / Technical Characteristics

GRES PORCELLANATO A TUTTA MASSA / FULL BODY PORCELAIN
CLASSIFICAZIONE SECONDO NORME EN 14411 (ISO 13006) ALLEGATO G GRUPPO Bla UGL / CLASSIFICATION IN ACCORDANCE WITH EN 14411 (ISO 13006) ANNEX G GROUP Bla UGL
X20 GRES PORCELLANATO A MASSA COLORATA / X20 FULL BODY COLORED PORCELAIN
CLASSIFICAZIONE SECONDO NORME UNI EN 14411 (ISO 13006) ALLEGATO G-Gruppo Bla GL / CLASSIFICATION IN ACCORDANCE WITH UNI EN 14411 (ISO 13006) ANNEX G-Group Bla GL

PROPRIETÀ FISICO-CHIMICHE PHYSICAL-CHEMICAL PROPERTIES	NORMA NORM	VALORE PRESCRITTO DALLE NORME VALUE PRESCRIBED FROM THE NORMS		*VAL. / VALUE FLAVIKER NAT.	*VAL. / VALUE FLAVIKER R11
		ISO 13006	EN 14411		
LUNGHEZZA E LARGHEZZA DIMENSIONE MEDIA DI OGNI PIASTRELLA LENGTH AND WIDTH OF THE AVERAGE-SIZES TILE	UNI EN ISO 10545/2	± 0,3%	± 0,6%	CONFORME ACCORDING TO	CONFORME ACCORDING TO
SPESSORE THICKNESS	UNI EN ISO 10545/2	DICHIARATO DALL'AZIENDA PRODUTTRICE DECLARED BY THE MANUFACTURING COMPANY		CONFORME ACCORDING TO	CONFORME ACCORDING TO
RETTILINEARITÀ SPIGOLI WARPAGES OF EDGES	UNI EN ISO 10545/2	± 0,3%	± 0,5%	CONFORME ACCORDING TO	CONFORME ACCORDING TO
ORTOGONALITÀ WEDGING	UNI EN ISO 10545/2	± 0,3%	± 0,6%	CONFORME ACCORDING TO	CONFORME ACCORDING TO
PLANARITÀ FLATNESS	UNI EN ISO 10545/2	± 0,4%	± 0,5%	CONFORME ACCORDING TO	CONFORME ACCORDING TO
ASSORBIMENTO D'ACQUA WATER ABSORPTION	UNI EN ISO 10545/3	E ≤ 0,5%		CONFORME ACCORDING TO	CONFORME ACCORDING TO
RESISTENZA ALLA FLESSIONE BENDING STRENGTH	UNI EN ISO 10545/4	≥ 35 N/mm ²		CONFORME ACCORDING TO	CONFORME ACCORDING TO
FORZA DI ROTTURA BREAKING STRENGTH	UNI EN ISO 10545/4	< 7,5 mm : ≥ 700 N		CONFORME ACCORDING TO	CONFORME ACCORDING TO
		> 7,5 mm : ≥ 1300 N			
RESISTENZA ALL'ABRASIONE PROFONDA DELLE PIASTRELLE NON SMALTATE RESISTANCE TO DEEP ABRASION OF UNGLAZED TILES	ISO 10545/6	< 175 mm ³		CONFORME ACCORDING TO	-
RESISTENZA ALL'ABRASIONE SUPERFICIALE PER PIASTRELLE SMALTATE ABRASION RESISTANCE FOR GLAZED TILES	ISO 10545/7	IN FUNZIONE DELLA DESTINAZIONE D'USO ACCORDING TO THE DESTINATION OF FINAL USE		-	CONFORME ACCORDING TO
RESISTENZA AGLI SBALZI TERMICI THERMAL SHOCK RESISTANCE	UNI EN ISO 10545/9	RICHIESTA REQUIRED		RESISTE RESISTS	RESISTE RESISTS
RESISTENZA AL GELO FROST RESISTANCE	UNI EN ISO 10545/12	RICHIESTA REQUIRED		INGELIVO FROST PROOF	INGELIVO FROST PROOF
RESISTENZA ALL'ATTACCO CHIMICO CHEMICAL RESISTANCE	UNI EN ISO 10545/13	MIN UB		CONFORME ACCORDING TO	-
		MIN GB		-	CONFORME ACCORDING TO
RESISTENZA ALLE MACCHIE RESISTANCE TO STAINING	UNI EN ISO 10545/14	UGL: VALORE DA DICHIARARE UGL: VALUE TO DECLARE		CONFORME ACCORDING TO	-
		GL: CLASSE 3 MIN		-	CONFORME ACCORDING TO
RESISTENZA ALLO SCIVOLAMENTO SLIP RESISTANCE	B.C.R.A. C.A.	μ 0,19 SCIVOLOSITÀ PERICOLOSA - DANGEROUSLY SLIPPERY 0,20 < μ < 0,39 SCIVOLOSITÀ ECCESSIVA - EXCESSIVELY SLIPPERY		>0,40	>0,40
	B.C.R.A. G.B.	0,40 < μ < 0,74 ATTRITO SODDISFACENTE - SATISFACTORY GRIP μ 0,75 ATTRITO ECCELLENTE - EXCELLENT GRIP		>0,40	>0,40
	ASTM C 1028 (S.C.O.F.)	SLIP RESISTANT (> 0,60)		>0,60 DRY >0,60 WET	>0,60 DRY >0,60 WET
	DIN EN 16165:2021 Annex B	IN FUNZIONE DELL'AMBIENTE O DELLA ZONA DI LAVORO BASING ON THE ENVIRONMENT OR THE WORKING AREA		R10	R11
	DIN EN 16165:2021 Annex A	-		A+B	A+B+C
	ANSI A 137-1:2012 (D.C.O.F.)	> 0,42		>0,42	>0,42
	AS/NZS 4586:2013	SRV : 35 - 44		-	-
BS 7976 - 2.2002	> 36		-	+36 WET	

VARIAZIONE CROMATICA SHADE VARIATION	V2	 aspetto uniforme uniform appearance V1	 lieve variazione slight variation V2	 moderata variazione moderate variation V3	 forte variazione substantial variation V4
---	----	--	--	---	---

IMBALLI PACKAGING

F.to nominale Nominal size	Finitura Finish	Spessore Thickness	F.to reale (mm) Work size	Imballo Packing	Pz/Scat. Pcs/Box	Mq/Scat. Sqm/Box	Kg/Scat. Kg/Box	Scat./Imb. Box/Packing	Pz Totali Pcs Total	Mq Totali Sqm Total	Kg/Imballo Kg/Packing	Kg Totali Kg Total
160x320 63"x126"	RETT.	6	1596,5x3195	Cassa Crate	-	-	-	-	15	76,80	139	1.294
				Cavalletto container Container rack pallet	-	-	-	-	36	184,32	180	2.952
120x280 48"x112"	RETT.	6	1194x2800	Cassa Crate	-	-	-	-	20	67,20	95	1.103
				Cavalletto Rack pallet	-	-	-	-	36	120,96	120	1.935
				Cavalletto container Container rack pallet	-	-	-	-	36	120,96	140	1.935
120x120 48"x48"	RETT.	8,5	1194x1194	Pallet con sponde Pallet with sides	2	2,88	54,80	18	36	51,84	40	1.026
60x120 24"x48"	RETT.	8,5	596x1194	Pallet	2	1,44	27,15	36	72	51,84	20	998
90x90 36"x36"	RETT.	20	896x896	Pallet	1	0,81	36,60	30	30	24,30	20	1.118
80x80 32"x32"	RETT.	8,5	797,25x797,25	Pallet	2	1,28	24,40	48	96	61,44	20	1.191
60x60 24"x24"	RETT.	8,5	600x600	Pallet	3	1,08	20,60	40	120	43,20	20	844
30x60 12"x24"	RETT.	8,5	297x596	Pallet	6	1,08	20,60	40	240	43,20	20	844

L'unità minima di vendita per tutti gli articoli è la scatola completa.
The minimum sales quantity for all items is one full box.

I dati relativi agli imballi sono aggiornati al momento della stampa del catalogo e pertanto possono subire variazioni nel corso del tempo.
Data referring to packaging have been update at time of printing; the actual data may be slightly different.

Published January 2026

Abk Group si riserva di apportare, qualora lo ritenesse opportuno, eventuali modifiche di natura tecnica o formale ai dati riportati in questo strumento. I colori sono puramente indicativi.

Abk Group reserves the right, when it deems necessary, to make technical and formal changes to the data included herein. The colours are purely illustrative.

FLAVIKER

BRAND OF ABK GROUP INDUSTRIE CERAMICHE S.P.A.
Via del Crociale, 69 - 41042 Fiorano MO (Italy)
T +39 0536 849611

flavikerpisa.it

WE
ARE
ABK
GROUP

FLAVIKER

WE
ARE
ABK
GROUP